




SQUARE SHOWERS



Shower Size

| Shower Size | A | B | C | D | E | F |
|-------------|-----|-----|------|-----|-----|------|
| 32" x 32" | 32" | 32" | 33½" | 16" | 16" | 33¼" |
| 36" x 36" | 36" | 36" | 37½" | 18" | 18" | 37¼" |

Shower shown with optional StyleMate® Pivot Door. See available models below.



Valve Placement Dimensions

Specifications

32" x 32" Showers

Model Color/Glass

DURAWALL® SHOWER WALLS

| | | | |
|--------|-------|-----|----------|
| 732WHT | White | UPC | Intertek |
| 732BN | Bone | UPC | Intertek |

DURABASE® SHOWER FLOOR

| | | | |
|--------|-------|-----|----------|
| 3232M | White | UPC | Intertek |
| 3232BN | Bone | UPC | Intertek |

STYLEMATE® PIVOT DOOR – Height 65"

| | |
|--------|-------------------------|
| 32.705 | Chrome/Clear |
| 32.706 | Oil-Rubbed Bronze/Clear |

36" x 36" Showers

Model Color/Glass

DURAWALL® SHOWER WALLS

| | | | |
|--------|-------|-----|----------|
| 736WHT | White | UPC | Intertek |
| 736BN | Bone | UPC | Intertek |

DURABASE® SHOWER FLOOR

| | | | |
|--------|-------|-----|----------|
| 3636M | White | UPC | Intertek |
| 3636BN | Bone | UPC | Intertek |

STYLEMATE® PIVOT DOOR – Height 65"

| | |
|--------|-------------------------|
| 36.403 | Chrome/Clear |
| 36.404 | Oil-Rubbed Bronze/Clear |

General: Furnish and install as shown on plans, a Shower Ensemble, as manufactured by E. L. Mustee & Sons, Inc., consisting of:

DURAWALL® Shower Walls – Model: _____ (732 or 736) shall be semi-gloss, 3-piece wall. Panels are molded fiberglass, using matched metal molds under extreme heat and pressure with a minimum uniform thickness of 125 mils and mount direct-to-studwalls. Include center panel with molded-in shelf and two side panels, each with molded-in shelf. Self-aligning panels using a tongue-and-groove connection. Shall meet ANSI Specification Z 124.1.2. Color: _____ (White, Bone).

DURABASE® Shower Floors – Model: _____ refer to page 12 & 13 for specifications.

STYLEMATE® Pivot Door Enclosures – Model: _____ refer to page 11 for specifications.